

Modified Lambotte Osteotomes

Designed with a striking platform, plus a cross-bar hole to help control rotational stability and assist with removal

- ▶ Six (6) sizes available, from 1/4" to 1-1/2" in 1/4" increments.
- ▶ Cross-bar and case included in complete set.
- ▶ Two smallest sizes have an 1/8" hole in which an 1/8" pin can be used as a cross bar (not included).



1/4"
#5350-25*

1/2"
#5350-50*

3/4"
#5350-75

1"
#5350-100

1-1/4"
#5350-125

1-1/2"
#5350-150

Cross Bar #5350-CB



PRODUCT NO.'S:

5350-00 [Set w/Case]

Also Available Individually:

5350-25* [1/4"]

Overall Length: 9" (22,9 cm)

Osteotome Width: .25" (6,4 mm)

5350-50* [1/2"]

Overall Length: 9" (22,9 cm)

Osteotome Width: .5" (12,7 mm)

5350-75 [3/4"]

Overall Length: 9" (22,9 cm)

Osteotome Width: .75" (19 mm)

5350-100 [1"]

Overall Length: 9" (22,9 cm)

Osteotome Width: 1" (25,4 mm)



5350-125 [1-1/4"]

Overall Length: 9" (22,9 cm)

Osteotome Width: 1.25" (31,8 mm)

5350-150 [1-1/2"]

Overall Length: 9" (22,9 cm)

Osteotome Width: 1.5" (38,1 mm)

5350-CASE [Case]

Dimensions: 12.25" x 11.25" x 1"
(31,1 x 28,6 x 2,5 cm)

5350-CB [Cross Bar]

Overall Length: 4.375" (11,1 cm)

* Accuracy Statement for devices with a measuring function:

Devices with a measuring function are considered non-critical, non-calibrated, and are intended for reference-only measurements. While it provides a helpful visual guide for relative measurements, it is not calibrated to specific precision standards. Measurements taken with this device should not be considered accurate enough for critical applications requiring strict dimensional tolerances. General manufacturing tolerances of +\ - 1% at each graduation, or 2% of the full scale apply, but no conformance qualifications are provided or implied.

www.innomed.net



ISO 13485:2016

FREE TRIAL ON MOST INSTRUMENTS

INNOMED



103 Estus Drive, Savannah, GA 31404
info@innomed.net

912.236.0000 Phone
912.236.7766 Fax

Innomed-Europe Tel. +41 41 740 67 74
info@innomed-europe.com

1.800.548.2362